Idaho Fish Consumption Advisory for Selected Idaho Waters


Safe Fish Eating Guidelines

Women who are pregnant, nursing or planning to become pregnant

Children under the age of 7 years

General public (people not in the first two groups)

Do NOT eat more than:



Women who are pregnant, nursing or planning to become pregnant

Children under the age of 7 years General public (people not in the first two groups)

Do NOT eat more than:

Lake Coeur d'Alene	All people are advised to limit their consumption of fish from Lake Coeur d'Alene(CdA). Please see the separate Lake CdA advisory for detailed information.		
Lake Lowell sucker carp	3 meals a month of sucker 4 meals a month of carp 5 meals a month of small- mouth bass smallmouth bass	2 meals a month of sucker or carp 3 meals a month of smallmouth bass 5 meals a month of largemouth bass 7 meals a month of bluegill	No consumption restrictions largemouth bass
Lake Pend Oreille lake trout	2 meals a month of Lake trout 4 meals a month of Whitefish.	1 meal a month of Lake trout 2 meals a month of Whitefish.	8 meals a month of Lake trout
Priest Lake	4 meals a month of Lake trout	2 meals a month of Lake trout	No consumption restrictions
Salmon Falls Creek Reservoir walleye	2 meals a month of walleye, smallmouth bass, or perch 4 meals a month of kokanee kokanee smallmouth bass	1 meal a month of walleye, smallmouth bass, or perch. 3 meals a month of kokanee 8 meals a month of rainbow trout rain	6 meals a month of walleye or bass. 8 meals a month of perch.

Store Bought Advisory

The Environmental Protection Agency (EPA) and the Food and Drug Administration (FDA) have issued a joint advisory for young children, and women who are pregnant, nursing, or planning to become pregnant. They recommend that these women and children do not eat shark, swordfish, king mackerel, or tilefish. Other EPA and FDA recommendations include:

- Do eat up to 12 ounces (2 average meals) a week of a variety of fish and shellfish that are lower in mercury -- like shrimp, canned light tuna, salmon, pollock, and catfish.
- Do eat ONLY 6 ounces (one average meal) of albacore tuna a week, because albacore ("white") tuna has higher levels of mercury.

General Recommendations

- Consume younger, smaller fish (within legal limits). They usually contain fewer pollutants than older, larger fish.
- Avoid eating bottom fish such as catfish, carp, or sucker. They feed at the bottom of water bodies and are more likely to contain higher levels of chemical contamination.
- Remember that fresh meat should always be handled properly. To prevent the growth of bacteria or viruses, keep freshly caught fish on ice and out of direct sunlight.

Cooking and Cleaning Fish

Proper cooking and cleaning can further reduce your exposure to the contaminants that may be in fish. Recommendations include:

- When you clean fish, remove the skin, fat, and internal organs before you cook it to reduce the amount of some pollutants.
- Grill, bake or broil fish so that the fat drips off while cooking.

Back Fat

Side Fat

Belly Fat

For more information, please contact:

Bureau of Community and Environmental Health (BCEH) Environmental Health Education and Assessment Program 450 W. State Street, 6th Floor

Boise. ID 83720-0036 Toll Free: 1-866-240-3553 E-mail: BCEH@idhw.state.id.us

